





BEIMCO FRP PRODUCTS

AN ISO 9001-2008

NEW GENERATION LIFE SAVING SAFETY EQUIPMENTS

AVERTS ACCIDENTS / MINIMIZE SHUTDOWNS



SAFE IN THE HANDS OF BEIMCO

Earthing Rods

Telescopic Operating/Earthing/HT/LT/Discharge Rod



11 to 33 KV

Section: 1/2/3/4/5

Length: 6ft to 24ft



66 to 132 KV

Section: 1/2/3/4/5

Length: 6ft to 24ft



132 to 220 KV

Section: 1/2/3/4/5

Length: 6ft to 24ft



220 to 400 KV

Section: 1/2/3/4/5/6/7

Length: 6ft to 36ft

Locking System



Threaded Coupler



Push Button Type



Telescopic Push Boton



**11 to 33 KV
Operating Rod**

Section: 1/2/3/4/ 5

Length: 6ft to 24ft



**11 to 39 KV
HotStick**

Section: 1/2/3/4/ 5

Length: 6ft to 24ft



3 Phase Earth Discharge Rod

Section: 1/2/3/4

Length: 6ft to 18ft



**Isolator Blade On/Off
HotStick**

Section: 1/2/3/4

Length: 6ft to 18ft



BEIMCO FRP PRODUCTS

www.beimco.com

Earthing Clamps/Accessories

Features

- Fiber Glass Profiles Manufactured from High Quality Epoxy Resin.
- Manufactured in Automatic Putnusion Plant.
- Strong Electrical & Michanical Strength.
- Super Smooth Glosy Finish Prevent Moisture.
- Excellent Dielectric Strength.
- Type Tested as per IS/IEC Standard.
- Unique Telescopic Design Easy to Assemble & Easy to Operate.
- Equipped with FRP/Rubber Insulator to Increase Creepage Distance.
- Bottom Provided with Slip Resistance Rubber Grip.
- Canvas Cover Bag for Protection of Equipment.




**Conductor Clamp
30mm**



**Conductor Clamp
50mm**



**Spring Loaded
Conductor Clamp**



**Detachable
Conductor Clamp
50 mm**




**Copper
Discharge Hook
30 mm to 125 mm**



**Spring Loaded Clamp
30 mm**



**Spring Loaded Clamp
60 mm**



**Bus Bar Clamp
75/100/125 mm**



**Aluminium/Copper
Grounding Clamp
30 mm**



**Copper Earthing Cable
10 sq mm to 95 sq mm**




**Voltage Detector
230 v to 500 kv**




**Tree Branch
Trimer**







Polymeric Composite Insulator



Polymeric D.O. Fuse



Polymeric Composite Insulator



Polymeric D.O. Fuse



FRP Battery Stand



BEIMCO FRP PRODUCTS

AN ISO 9001-2008

Postal Address: "Karma" Petlad Road, Nr. TGB Hotel, Nadiad-387002. Gujarat. INDIA.

Factory Address: N.H No.8, Piplag Gutal Highway, Piplag-387355. Nadiad. Gujarat. INDIA.

Contact: +91-9825171223, +91-9825148522 **Email:** info@beimco.com

Website: www.beimco.com | www.beimcofrp.com | www.indiamart.com/beimco