



POWERTRONICS PVT. LTD.

BEIMCO

**NEW GENERATION LIFE SAVING SAFETY EQUIPMENTS
AVERTS ACCIDENTS/MINIMIZE SHUTDOWNS**



SAFETY IN YOUR HANDS



Locking System



Threaded Coupler



Push Button Type



Telescopic Push Boton



Isolator Blade On/Off HotStick

Section: 1/2/3/4
Length: 6ft to 18ft

Earthing Clamps/Accessories

Features

- Fiber Glass Profiles Manufactured from High Quality Epoxy Resin.
- Manufactured in Automatic Putnusion Plant.
- Strong Electrical & Michanical Strength.
- Super Smooth Glosy Finish Prevent Moisture.
- Excellent Dielectric Strength.
- Type Tested as per IS/IEC Standard.
- Unique Telescopic Design Easy to Assemble & Easy to Operate.
- Equipped with FRP/Rubber Insulator to Increase Creepage Distance.
- Bottom Provided with Slip Resistance Rubber Grip.
- Canvas Cover Bag for Protection of Equipment.



Conductor Clamp
30mm



Conductor Clamp
50mm



Spring Loaded
Conductor Clamp



Detachable
Conductor Clamp
50 mm



Copper
Discharge Hook
30 mm to 125 mm



Spring Loaded Clamp
30 mm



Spring Loaded Clamp
60 mm



Bus Bar Clamp
75/100/125 mm



Aluminium/Copper
Grounding Clamp
30 mm




Copper Earthing Cable
10 sq mm to 95 sq mm



Tree Branch
Trimer




Polymeric Composite Insulator



Polymeric D.O. Fuse



Polymeric Composite Insulator



Polymeric D.O. Fuse



FRP Battery Stand

BEIMCO



POWERTRONICS PVT. LTD.
An ISO 9001 : 2015 Company

TAURUS POWERTRONICS PVT LIMITED

Corporate Off.: No. 26, "Mahadimane", 12th Main, 1st Block, Rajajinagar, Bengaluru - 560 010. INDIA., Tel : + 91 80 23012301
Email : info@tauruspowertronics.com, care@tauruspowertronics.com, WhatsApp : +91 73496 44344
Sales & Service Off.: No. 648/54, KLE College 2nd Block, Rajajinagar, Bengaluru - 560 010. INDIA, Tel : + 91 80 2352 2136/74

BENGALURU
DELHI
KOLKATA
MUMBAI